

204 Topas

High gloss drying agent - superconcentrate

- ▲ Explosive and extensive break-up of the water film
- ▲ Perfect drying results with very little residual water
- ▲ Achieves a strong water and dirt-repellent effect with a good gloss finish
- ▲ Ideal for convertible soft top canvas
- ▲ Extremely economical thanks to the maximum content of active ingredient in the superconcentrate
- ▲ Free of hydrocarbons, mineral oils and fragrances



Application

Product is not suitable for pre-dilution

Apply undiluted to the application with a suitable dosing device.

Drying agent:

In car washes with blower drying as a spray application (5–10 ml/car).

Apply extensively over the vehicle.

In car washes with no blower drying as a spray application (1–3 ml/min; 1:2500–5000).

Apply extensively over the vehicle. As to produce a delayed break-up of the water film, it is important to use a high dilution.

Note

Always keep containers closed and guide suction tubes through the closure. A change in colour and clouding may occur without any loss in quality due to the natural raw materials. Protect from frost. Not a consumer product according to 1999/44/EC Art. 1! For professional use only! Kiehl accepts no liability or responsibility for damage caused as a result of incorrect use or application of the product.

Ingredients

Cationic compounds, maintenance substances, solubilizers, dyes.
pH value (concentrate): approx. 5

Classification

Classification (in concentrate): GHS07, GHS09, Warning. H319 Causes serious eye irritation. H315 Causes skin irritation. H410 Very toxic to aquatic life with long lasting effects. P273 Avoid release to the environment. P280 Wear protective gloves/eye protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Art. No.	Packaging unit (PU)	Contents in kg	Numbers of PU per pallet
c204025	25 kg canister		24
c204073	220 L drum	217	2
c204090	1000 L container	985	1