

2183 JetWax Plus

Gloss preserver

- Preserves and maintains all vehicle surfaces
- Long-lasting protection against weather and environmental influences and an impressive surface gloss finish
- Impregnating effect ensuring good water and dirt repellency
- Full care effect even after the first wash
- No layer build-up and no smearing
- Very high foam potential when used in foam devices
- ▲ Can also be used within critical fresh water quality (e.g. water hardness)
- ▲ Ideal for convertible soft top canvas
- ▲ Provides a pleasant and intensive fragrance experience
- ▲ Also effective at low temperatures and frost-proof at least to -5 °C
- Economical to use thanks to the very high content of active ingredients in the concentrate
- Free of hydrocarbons and mineral oils







Application

Product is suitable for pre-dilution

Apply either undiluted or pre-diluted to the application with a suitable dosing device using a ratio of 1:2.

Wax and care

In car washes with blower drying as a foam or spray application (18-30 ml/car).

Choose the dosage depending on the desired intensity of care and foam. When using the product as a hot wax, the temperature must not exceed 60°C.

In car washes with no blower drying as a foam or spray application (3-4 ml/min; 1:2000-2500).

Apply extensively over the vehicle. As to produce a delayed break-up of the water film, it is important to use a high dilution. Then rinse, ideally with osmosis water.

Note

Always keep containers closed and guide suction tubes through the closure. A change in colour and clouding may occur without any loss in quality due to the natural raw materials. Protect from frost. Not a consumer product according to 1999/44/EC Art. 1! For professional use only! Kiehl accepts no liability or responsibility for damage caused as a result of incorrect use or application of the product.

Ingredients

Cationic compounds, maintenance substances, water-soluble solvents, solubilizers, dyes, fragrances (Geraniol, Citronellol, Citral). pH value (concentrate): approx. 4.5

Classification

Classification (in concentrate): GHS07, GHS09, Warning. H319 Causes serious eye irritation. H410 Very toxic to aquatic life with long lasting effects. P273 Avoid release to the environment. P280 Wear eye protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Art. No. Packaging unit (PU) c218325 25 kg canister

Numbers of PU per pallet

24