


DATA SHEET.

SCRUBBER DRYER.

RA 35|B 10



G. Staehle GmbH u. Co. KG  
Mercedesstrasse 15  
D 70372 Stuttgart  
Telefon +49 (0) 7 11/95 44-950  
Telefax +49 (0) 7 11/95 44-941  
info@columbus-clean.com  
www.columbus-clean.com

**columbus**

SO SMALL, SO MANOEUVRABLE.

RA 35|B 10



⌚ The low cost scrubber dryer ideal for use in small areas and heavily congested spaces.

⌚ Thorough cleaning up to the edge: consistently high brush pressure in combination with a swivel-mounted squeegee, which is located directly behind the brush.

⌚ Large wheels for excellent manoeuvrability and easy transport.

⌚ Guaranteed perfect working height: the ergonomically shaped handlebar can be adjusted to four different heights.

⌚ The ultra compact design with a bevelled front provides for good cleaning under furnishings or around obstacles.

⌚ Hygienic according to HACCP standards: the removable recovery tank can be cleaned and disinfected easily; the cover gasket replaced in no time. Excess fresh water can be drained completely.

⌚ Operating handle can be folded flat across the scrubber dryer for easy transport in small vehicles and storage in tight spaces.

⌚ Easy cleanout of recovery tank through outlet valve into floor drain. Or, easy and functional: by simply removing the tank and tipping the dirty water into any sink.

⌚ Mains operated version for continuous working time, with powerful suction, lightweight for easy carriage and transport.

⌚ EUnited tested and certified.



## RA 35|B 10

L x W x H	735 x 490 x 650 mm
Working width	350 mm
Suction width	420 mm
Theoretical coverage max.	1400 m <sup>2</sup> /h
Noise level	66 dB(A)
Empty weight	44 kg
Operating weight	74 kg (63 Ah 5)

### BATTERIES/ELECTRICAL DATA

Rated voltage	12 V
Power max.	440 W
Number of batteries	1
Capacity gel	63 Ah 5

### TANK

Solution tank capacity	10 l
Recovery tank capacity	11,5 l

### SUCTION

Low pressure max.	52 mbar
Air flow max.	14,5 l/s

### BRUSHES AND PAD HOLDERS

Number	1
Speed	190 rpm
Brush pressure	28 kg

